



# PINNO

LAIZHOU PINNO IMPORT AND EXPORT TRADE CO., LTD  
莱州品诺进出口贸易有限公司



## 品诺 PINNO

Tel/WhatsApp/WeChat +86 18615352828

Website: [www.newdnkpla.com](http://www.newdnkpla.com)

E-mail: [jason@pinno.com.cn](mailto:jason@pinno.com.cn)

Add: Yantai Industrial Park, Shandong Province



## Crushing and recycling series

### Large caliber crusher



PN1-JH400

Model	PN1-JH400
Power (kw)	11
Capacity (kg/h)	300-500
Blade (pcs)	6+2
Blade material	55Si
Inlet size (mm)	350*400
Screen thickness(mm)	t6
Mesh size (mm)	10
Rotating diameter(mm)	260
Dimensions (mm)	1158*876*1486
Weight(kg)	440

## Crushing and recycling series


### Large caliber crusher



PN1-JH600

Model	PN1-JH600
Power (kw)	15
Capacity (kg/h)	650-700
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	470*600
Screen thickness(mm)	t8
Mesh size (mm)	10
Rotating diameter(mm)	310
Dimensions (mm)	1338*1102*1716
Weight(kg)	800

PN1-JH500



Model	PN1-JH500
Power (kw)	15
Capacity (kg/h)	550-650
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	400*500
Screen thickness(mm)	t6
Mesh size (mm)	10
Rotating diameter(mm)	310
Dimensions (mm)	1338*971*1668
Weight(kg)	630

PN1-JH650(A)




Model	PN1-JH650(A)
Power (kw)	15
Capacity (kg/h)	700-750
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	470*650
Screen thickness(mm)	t8
Mesh size (mm)	10
Rotating diameter(mm)	360
Dimensions (mm)	1390*1297*1776
Weight(kg)	940

## Crushing and recycling series




### Large caliber crusher

PN1-JH650(B)



Model	PN1-JH650(B)
Power (kw)	18.5
Capacity (kg/h)	750-800
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	470*650
Screen thickness(mm)	t8
Mesh size (mm)	10
Rotating diameter(mm)	360
Dimensions (mm)	1390*1297*1776
Weight(kg)	940

PN1-JH700



Model	PN1-JH700
Power (kw)	22
Capacity (kg/h)	800-850
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	500*700
Screen thickness(mm)	t8
Mesh size (mm)	10
Rotating diameter(mm)	380
Dimensions (mm)	1393*1297*1826
Weight(kg)	1000

## Crushing and recycling series



### Large caliber crusher

PN1-JH800



Model	PN1-JH800
Power (kw)	30
Capacity (kg/h)	900-950
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	590*800
Screen thickness(mm)	t10
Mesh size (mm)	12
Rotating diameter(mm)	450
Dimensions (mm)	1548*1547*2043
Weight(kg)	1150

PN1-JH1000



Model	PN1-JH1000
Power (kw)	37
Capacity (kg/h)	800-1000
Blade (pcs)	6+4
Blade material	55Si
Inlet size (mm)	700*1000
Screen thickness(mm)	t10
Mesh size (mm)	12
Rotating diameter(mm)	500
Dimensions (mm)	1900*1750*2400
Weight(kg)	2090

## Crushing and recycling series



### Multi blade multifunctional crusher

PN1-LG180



Model	PN1-LG180
Power(KW)	1.5/2.2
Crushing ability(KG/H)	50-100
Blades(pcs)	9+2
Blade Material	55Si
Inlet size (mm)	180*110
Mesh size(mm)	6
Spindle speed(r/min)	520
External dimensions(mm)	630*520*950

## Crushing and recycling series



### Multi blade multifunctional crusher

PN1-LG300



Model	PN1-LG300
Power(KW)	5.5
Crushing ability(KG/H)	200-300
Blades(pcs)	9+2
Blade Material	55Si
Inlet size (mm)	320*200
Mesh size(mm)	8
Spindle speed(r/min)	617
External dimensions(mm)	1000*750*1180

PN1-LG250



Model	PN1-LG250
Power(KW)	4
Crushing ability(KG/H)	150-200
Blades(pcs)	6+2
Blade Material	55Si
Inlet size (mm)	250*160
Mesh size(mm)	8
Spindle speed(r/min)	617
External dimensions(mm)	900*700*1050

PN1-LG400



Model	PN1-LG400
Power(KW)	7.5
Crushing ability(KG/H)	250-450
Blades(pcs)	12+2
Blade Material	55Si
Inlet size (mm)	420*220
Mesh size(mm)	10
Spindle speed(r/min)	650
External dimensions(mm)	1060*880*1320

## Crushing and recycling series



### Multi blade multifunctional crusher

PN1-LG500



Model	PN1-LG500
Power(KW)	11
Crushing ability(KG/H)	400-700
Blades(pcs)	15+2
Blade Material	55Si
Inlet size (mm)	520*260
Mesh size(mm)	10
Spindle speed(r/min)	627
External dimensions(mm)	1150*1000*1450

## Crushing and recycling series



### Multi blade multifunctional crusher

PN1-LG800



Model	PN1-LG800
Power(KW)	30
Crushing ability(KG/H)	650-1300
Blades(pcs)	24+4
Blade Material	55Si
Inlet size (mm)	800*500
Mesh size(mm)	12
Spindle speed(r/min)	480
External dimensions(mm)	1850*1410*2130

PN1-LG600



Model	PN1-LG600
Power(KW)	15
Crushing ability(KG/H)	450-800
Blades(pcs)	18+4
Blade Material	55Si
Inlet size (mm)	600*240
Mesh size(mm)	10
Spindle speed(r/min)	576
External dimensions(mm)	1200*1060*1650


PN1-LG1000



Model	PN1-LG1000
Power(KW)	45
Crushing ability(KG/H)	750-1500
Blades(pcs)	30+4
Blade Material	55Si
Inlet size (mm)	1000*610
Mesh size(mm)	12
Spindle speed(r/min)	576
External dimensions(mm)	1950*1580*2500






## SLOW SPEED CRUSHER



Model	PN1-CH 2HP	PN1-CH 3HP	PN1-CH 4HP	PN1-CH 5HP
External dimensions	133*48.5*103 cm	135*48.5*116 cm	136*53.5*116 cm	151*61*136 cm
Inlet size	31.7*31.7 cm	42.3*31.7 cm	42.3*35 cm	47.5*38.4 cm
Motor power	1.5 kw	2.2 kw	3.7 kw	3.7 kw
Knife (Pineapple Knife)	89*110, 3 pieces	89*110, 4 pieces	89*110, 4 pieces	100*140, 4 pieces
Rotary knife (S knife)	268*112*20, 2 pieces	268*112*20, 3 pieces	298*116*20, 3 pieces	328*146*25, 3 pieces
Fixed blade (edge blade) straight	88*86.5*12, 3 pieces	88*86.5*12, 4 pieces	88*102.5*12, 4 pieces	99*102.5*12, 4 pieces
Fixed knife (edge knife) reverse	88*86.5*12, 3 pieces	88*86.5*12, 4 pieces	88*102.5*12, 4 pieces	99*102.5*12, 4 pieces
Power cord specifications	5*1.5 m <sup>2</sup>	5*1.5 m <sup>2</sup>	5*2.5 m <sup>2</sup>	4*1.5 m <sup>2</sup>
Power cord length	5 m	5 m	5 m	5 m
Total weight of the machine	270 kg	310 kg	350 kg	550 kg
Blade material	SV12MOV	SV12MOV	SV12MOV	SV12MOV
Tool structure shape	Claw knife+rolling cutter	Claw knife+rolling cutter	Claw knife+rolling cutter	Claw knife+rolling cutter
Spindle speed	20 revolutions	20 revolutions	20 revolutions	21 revolutions
Noise	Approximately 85 decibels with background sound	Approximately 90 decibels with background sound	Approximately 90 decibels with background sound	Approximately 85 decibels with background sound



## MEDIUM SPEED CRUSHER



Model	PN1-CH 8K	PN1-CH 10K	PN1-CH 13K	PN1-CH 15K
Crushing caliber	236*270mm	291*270mm	375*305mm	430*270mm
Inlet size	315*270mm	315*270mm	435*306mm	422*347mm
Electrical brand	Taian Chint	Taian Chint	Taian Chint	Taian Chint
Rotary knife	8 pieces	10 pieces	13 pieces	15 pieces
Knife material	SV12MOV	SV12MOV	SV12MOV	SV12MOV
Motor brand	Yexiang	Yexiang	Yexiang	Yexiang
RPM /min	143 RPM	143 RPM	143 RPM	140 RPM
Power	1.5kw	2.2kw	3.7kw	3kw
Voltage	3/380V,50HZ	380V,50HZ	380V,50HZ	380V,50HZ
External dimensions	910*515*1242mm	990*515*1242mm	1190*555*1480mm	1040*850*1335mm
Crushing ability	About 20KG/H (sieve according to 6 major standards)	Using PP material as the standard (hour), about 25 kilograms of sieve mesh standard, 6 large	Using PP material as the standard (hour), about 30 kilograms of sieve mesh standard, 6 large	One feeding hopper
Weight	185KG	192KG	265KG	